



ALFRED NZO

DISTRICT MUNICIPALITY

Enq: PZ Vuko

Ext: 5279

06 October 2021

SPECIFICATION TO EQUIP HOLMATRO RESCUE EQUIPMENT

Number	Description	Quantity	Unit Price	Amount
<u>Holmatro Hydraulic power pump:</u>	<ul style="list-style-type: none">• Engine: petrol driven; minimum 3.1 HP / 2.3 kW.• 2-tool connection / simultaneous operation of 2 tools.• Maximum working pressure not less than 720 bar.• Hydraulic pump: 2 x three-stage axial.• Flow 1st – 2nd – 3rd stage: min. 2 x 2900 – 2 x 1300 - 2 x 550 cc/min.	01		

	<ul style="list-style-type: none"> • Capacity oil tank not less than 4300 cc. • Equipped with two single flat face auto-lock couplers for a coaxial (hose-in-hose) hose system. • Equipped with oil level indicator for quick and easy checking oil level from the outside. • Weight including hydraulic oil, engine oil, fuel and couplers shall not exceed 23 kg. • Dimensions (LxWxH) shall not exceed 455x315x460 mm. <p>Engine and pump unit must be fully protected by steel frame including soft-grip carrying</p>			
Total Exclusive VAT				
VAT @ 15%				
Total Inclusive VAT				

NB: 100% high quality Local and production content, MBD6.2 Form must be completed.

EVALUATION CRITERIA

This project will be evaluated based on the below criteria:

• BBBEE points	20
• Pricing	80
Total	



Approved by:
D.N Ngxenge
Senior Manager